

# EAST Search

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S70	1	"5912651".pn	USPAT	OR	ON	2005/10/11 13:15
S71	10	(US-5376944-\$ or US-6115016-\$ or US-6151004-\$ or US-6377236-\$ or US-6392620-\$ or US-6473092-\$ or US-6618031-\$ or US-6636206-\$ or US-6795053-\$ or US-5912651-\$).did.	USPAT	OR	ON	2005/10/08 15:11
S72	103	(image or video) with (brightness or gradation or gray adj (value or level) or intensity) with (maximum or largest or highest) same display same (frame or field)	USPAT	OR	ON	2005/10/08 15:20
S73	9573	345/58,87,89,94,98-100,102, 211-213.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/08 16:15
S74	1	S72 and S71	USPAT	OR	ON	2005/10/08 15:18
S75	278	(image or video) with (brightness or gradation or gray adj (value or level) or intensity) with (max or maximum or largest or highest) same display same (frame or field)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/08 15:21
S76	34	S75 and S73	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/08 15:24
S77	725	(control\$4 or adjust\$3 or set or setting) with (brightness or intensity or luminance or illuminance) with (light\$3 adj source or backlight) with (duty or ratio)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/11 11:01
S78	49	S77 and S73	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/08 16:16

S79	123	(detect\$3 or sens\$3 or measur\$3) with (maximum or max) with (brightness or intensity or luminance or illuminance) same (control\$4 or adust\$3 or set or setting or improv\$3) with (light\$3 adj source or backlight or signal) with (duty or ratio)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/11 16:47
S80	9	S79 and display\$3.tl.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/11 11:09
S81	6	S79 and "345"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/11 11:18
S82	2	09/899220	US-PGPUB; USPAT	OR	ON	2005/10/11 13:15
S83	2128	((detect\$3 or sens\$3 or measur\$3) and (maximum or max) and (brightness or intensity or luminance or illuminance) and (control\$4 or adust\$3 or set or setting or improv\$3) and (light\$3 adj source or backlight or signal)). ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/11 14:09
S84	28	S83 and "345"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/11 14:10
S85	3	(detect\$3 or sens\$3 or measur\$3) with (maximum or max) with (brightness or intensity or luminance or illuminance) same (control\$4 or adust\$3 or set or setting or improv\$3) with shutter with (duty or ratio)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/11 16:42
S86	2	(detect\$3 or sens\$3 or measur\$3) with (maximum or max) with (brightness or intensity or luminance or illuminance) same (control\$4 or adust\$3 or set or setting or improv\$3) with shutter with (transmittance or transmission)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/11 16:45

*Inventor Search*

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S87	133	(baba-masahiro or itoh-goh or kobayashi-hitoshi or okumura-haruhiko or yamaguchi-hajime or hasegawa-rei).in.	US-PGPUB; USPAT	OR	ON	2005/10/11 16:46
S88	2754	(detect\$3 or sens\$3 or measur\$3) with (maximum or max) with (brightness or intensity or luminance or illuminance) same (control\$4 or adust\$3 or set or setting or improv\$3)	US-PGPUB; USPAT	OR	ON	2005/10/11 16:48
S89	1	S87 and S88	US-PGPUB; USPAT	OR	ON	2005/10/11 16:48

US 20020003522 A1 US-PGPUB